

XEROX

Technology | Document Management | Consulting Services

Recommended Xerox Media for Xerox DocuColor 2240 and DocuColor 1632 (EUROPE)

Revision 3.0 February 2007

Last revision July 2006

This supersedes any previous Recommended Media for Xerox DocuColor 2240/1632 list.

Any additions since the preliminary publication are indicated in Blue print.

Important Note:

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5.

In the enclosed Recommended Materials List, green shaded areas marked with an "x" indicate approved product/media type configurations. Although these configurations are recommended, reliability will be based upon your operating environment and application mix.

Machine reliability specifications may be affected by increased usage of Heavyweight 1 mode and Heavyweight 2 mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Heavyweight mode 1, Heavyweight mode 2 and the special application modes .

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your equipment.

© 2007 Xerox Corporation. All rights reserved.

Xerox® and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

	International Cut Sheet Size				Weight (g/m ²)	Output		Trays 1&2 maximum A3 Trays 3&4 maximum A4/letter trays 3&4 Long Edge Feed only	Tray 5 (Bypass) 55 - 220 g/m2									
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 457 x305 mm	SRA3 450 x 320 mm		Black only	Full Colour		55 - 63 g/m ²	64 - 105 g/m2			106-169 g/m ²		170-220 g/m ²		Label	Transparency
Weight range specification		→																
Media selection	→																	

Paper types are selected within System and Printer settings. Ensure that the Correct Paper mode is selected for Printing and Copying.

Xerographic/Laser for media marked # - colour print quality will not be as good as Colotech+ papers																		
Xerox Premier	3R91713				60	x	#					x						A
Xerox Premier	3R91720				80	x	#	x				x						A
	3R91723 4-hole				80	x	#	x				x						A
Xerox Business	3R91820				80	x	#	x				x						A
Xerox Exclusive - Perfo Samaceta	3R90293				80	x	#	x				x						A
	3R95248				80	x	#	x				x						A
Xerox Xprint	3R95249				80	x	#	x				x						A
Xerox Premier TCF	3R91805				80	x	#	x				x						A
Xerox Digital Color Impressions	3R97661				80	x	x		x			x						A
	3R97662				80	x	x		x			x						A
Xerox Digital Color Impressions	3R97663				90	x	x		x			x						A
	3R97664				90	x	x		x			x						A
	3R97665				90	x	x		x			x						M
Xerox Digital Color Colotech + Gold	3R97988				90	x	x		x			x						A
	3R97990				90	x	x		x			x						A
	3R97991				90	x	x		x			x						M
Xerox Digital Color Colotech +	3R94641				90	x	x		x			x						A
	3R94642				90	x	x		x			x						A
	3R94643				90	x	x		x			x						M
Xerox Xprint	3R95254				90	x	#		x			x						A
	3R95255				90	x	#											A
Xerox Premier	3R91720				90	x	#	x				x						A
	3R91721				90	x	#					x						A
Xerox Digital Color Impressions	3R97666				100	x	x		x			x						A
	3R97667				100	x	x		x			x						A
	3R97668				100	x	x		x			x						M
Xerox Digital Color Colotech + Gold	3R97993				100	x	x		x			x						A
	3R97955				100	x	x		x			x						A
	3R97956				100	x	x		x			x						M

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

	International Cut Sheet Size			Weight (g/m ²)	Output		Trays 1&2 maximum A3 Trays 3&4 maximum A4/letter trays 3&4 Long Edge Feed only				Tray 5 (Bypass) 55 - 220 g/m ²									
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 457 x305 mm		Black only	Full Colour	plain	bond	recycled	Auto Duplex	light weight	plain	bond	recycled	Duplex A = auto M = manual	Heavy weight paper 1	Heavy weight paper 1 -side 2	Heavy weight paper 2	Heavy weight paper 2 -side 2	Label
Weight range specification	→						64 - 105 g/m ²				55 - 63 g/m ²	64 - 105 g/m ²			106-169 g/m ²		170-220 g/m ²			
Media selection	→																			
Paper types are selected within System and Printer settings. Ensure that the Correct Paper mode is selected for Printing and Copying.																				
Xerox Digital Color Colotech + Natural White	3R95958			200	x	x												x	M	
		3R95959		200	x	x												x	M	
Coated Papers	Gloss variation can occur from machine rolls especially on high area coverage																			
Xerox Digital Color Colotech + Gloss Coated	3R97574			120	x	x												x	M	
		3R97575		120	x	x												x	M	
Xerox Digital Colour Impressions Gloss Coated		3R97886		120	x	x												x	M	
Xerox Digital Color Colotech + Silk Coated	3R97592			120	x	x												x	M	
		3R97593		120	x	x												x	M	
Xerox Digital Color Colotech + Gloss Coated	3R97577			140	x	x												x	M	
		3R97578		140	x	x												x	M	
Xerox Digital Color Colotech + Silk Coated	3R97595			140	x	x												x	M	
		3R97596		140	x	x												x	M	
Xerox Digital Color Colotech + Gloss Coated	3R97580			170	x	x												x	M	
		3R97581		170	x	x												x	M	
Xerox Digital Color Colotech + Silk Coated	3R97598			170	x	x												x	M	
		3R97599		170	x	x												x	M	
Xerox Digital Colour Impressions Gloss Coated	3R97583			210	x	x												x	M	
		3R97584		210	x	x												x	M	
Xerox Digital Colour Impressions Gloss Coated		3R97889		210	x	x												x	M	
Xerox Digital Color Colotech + Silk Coated	3R97601			210	x	x												x	M	
		3R97602		210	x	x												x	M	
Coated One Side Cover C1S	Gloss variation can occur from machine rolls especially on high area coverage																			
Xerox Digital Color Colotech+ Supergloss	3R97679			135	x	x												x	M	

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

	International Cut Sheet Size			Weight (g/m ²)	Output		Trays 1&2 maximum A3 Trays 3&4 maximum A4/letter trays 3&4 Long Edge Feed only				Tray 5 (Bypass) 55 - 220 g/m2									
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 457 x305 mm		Black only	Full Colour	plain	bond	recycled	Auto Duplex	light weight	plain	bond	recycled	Duplex A = auto M = manual	Heavy weight paper 1 -side 2	Heavy weight paper 1 -side 2	Heavy weight paper 2	Heavy weight paper 2 -side 2	Label
Weight range specification	→						64 - 105 g/m ²				55 - 63 g/m ²	64 - 105 g/m2			106-169 g/m ²		170-220 g/m ²			
Media selection	→																			
Paper types are selected within System and Printer settings. Ensure that the Correct Paper mode is selected for Printing and Copying.																				
Xerox Digital Color Colotech+ Supergloss	3R97680	3R97681		160	x	x									x	M				
Xerox Digital Color Colotech+ Supergloss	3R97682	3R97683		210	x	x											x	M		
Xerox Digital Color Colotech+ Super Prescored	3R97685			210	x	x											x	M		
Transparency																				
Xerox Transparency for Colour Paper Label	3R98205				x	x														x
Xerox Colotech Supergloss label	3R97288			1-UP	x	x														x
Xerox Colour Copier/Laser Labels	3R93872			1-UP	x	x														x
	3R95813			4-UP	x	x														x
	3R93874			8-UP	x	x														x
	3R93875			14-UP	x	x														x
	3R95815			21-UP	x	x														x
	3R97524			24-UP	x	x														x
Xerox Removable label	3R96177			16-up	x	#														x
	3R96178			24-up	x	#														x
Xerox Colotech Supergloss CD label 117mm x 41mm	3R97287			2-UP	x	x														x
Xerox CD label & CD insert Combi Box	3R97515			2-UP	x	x		insert only		insert only			insert only							x

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

	International Cut Sheet Size			Weight (g/m ²)	Output		Trays 1&2 maximum A3 Trays 3&4 maximum A4/letter trays 3&4 Long Edge Feed only	Tray 5 (Bypass) 55 - 220 g/m2																			
	A4 210 x 297 mm	A3 297 x 420 mm	A3+ 457 x305 mm		Black only	Full Colour		plain	bond	recycled	Auto Duplex	light weight	plain	bond	recycled	Duplex A = auto M = manual	Heavy weight paper 1	Heavy weight paper 1 -side 2	Heavy weight paper 2	Heavy weight paper 2 -side 2	Label	Trans- parency					
Weight range specification	→						64 - 105 g/m ²	55 - 63 g/m ²	64 - 105 g/m2			106-169 g/m ²		170-220 g/m ²													
Media selection	→																										
Paper types are selected within System and Printer settings. Ensure that the Correct Paper mode is selected for Printing and Copying.																											
Synthetic Label																											
Xerox Durapaper Label - waterproof, oil, chemical resistant	3R97344				1-UP	x	x														x						
Synthetic media																											
Xerox Premium Never Tear	3R98058				120 micron	x	x					x			A	NOTE: Use PLAIN MODE only. NOT to be used as sole application. Limit 300 per day											
Special Application Media for media marked # - colour print quality will not be as good as Colotech+ papers																											
Gloss variation can occur from machine rolls especially on high area coverage																											
Xerox DocuPac Glossy White Presentation folder	3R97251				210	x	x											x	M								
Xerox DocuPac Matt Presentation folder	3R97353				180	x	#											x	M								
Gloss variation can occur from machine rolls especially on high area coverage																											
Xerox Laser Window GraphiX Clear (window decal)	3R97494				1-up	x	x					x						NOTE: Use PLAIN MODE only. NOT to be used as sole application. Limit 300 per day									
Gloss variation can occur from machine rolls especially on high area coverage																											
Xerox Laser Window GraphiX Opaque White (window decal)	3R97511				1-up	x	x					x															
		3R97539			1-up	x	x					x															
Greetings cards	3R97685	Use Colotech Supergloss Pre-scored 210g/m ² (see above).																									
50 Sheets maximum. For print mode use Heavyweight 1. SEF stripe lead edge																											
Transfer paper	3R97948	3R97950																x									

