



Recommended Xerox Media for ColorQube 9201/9202/9203(EUROPE)

Revision 1.3 July 2009

First revision

Important Notes:

All media are listed by product, front panel selection mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.



*Testing Environment temperature range of 60-75 deg. F, Relative Humidity range 30-50%. For those customers operating equipment in environments of extremely low or high humidity - not all products on this list have been validated under these conditions.










*Machine reliability specifications may be affected by increased usage of the Transparency, Label, and other special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.









For specifications and a description of the various media types discussed in this publication, please refer to www.xerox.com.










© 2009 Xerox Corporation. All rights reserved.









Xerox®, the sphere of connectivity design, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

		Plain  Recycled  Heavy  Pre-punched  Transparency  Extra Heavy  Pre-cut Tabs  Label 		ColorQube 9201/9202/9203 Multifunction printer Xerox Recommended European Media List revision 1.3 July, 2009				FEED Auto = Auto Duplex NA = Not Applicable N = Not Supported SEF = Short Edge Feed LEF = Long Edge Feed						
Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	Trays				PPF tray 5 ^(D) (Normal Config. & With Options / Duplex)			Comments
							3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MSI Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	Normal	Opt. 1	Opt. 2	
Business	80	Plain	003R91820	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R91821	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	80	Pre Punched	003R91823	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
Colotech + Natural White	100	Plain	003R97102	A4	Uncoated Bond	Natural White	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Plain	003R97103	A3	Uncoated Bond	Natural White	Auto	Auto	N	Auto	N	SEF Auto	N	
	160	Heavyweight (HW)	003R95956	A4	Uncoated Cover	Natural White	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Heavyweight (HW)	003R95957	A3	Uncoated Cover	Natural White	Auto	Auto	N	Auto	N	SEF Auto	N	
	200	Extra-HW (X-HW)	003R95958	A4	Uncoated Cover	Natural White	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	200	Extra-HW (X-HW)	003R95959	A3	Uncoated Cover	Natural White	Auto	Auto	N	Auto	N	SEF Auto	N	
Colotech + (Gold)	90	Plain	003R97988	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Pre-Punched	003R97989	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Plain	003R97990	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R97991	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	100	Plain	003R97993	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Pre-Punched	003R97954	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Plain	003R97955	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	100	Plain	003R97956	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	120	Heavyweight (HW)	003R97958	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	120	Heavyweight (HW)	003R97959	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	120	Heavyweight (HW)	003R97960	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N	
	160	Heavyweight (HW)	003R97963	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	

		Plain  Recycled  Heavy  Pre-punched  Transparency  Extra Heavy  Pre-cut Tabs  Label 		ColorQube 9201/9202/9203 Multifunction printer Xerox Recommended European Media List revision 1.3 July, 2009			FEED Auto = Auto Duplex NA = Not Applicable N = Not Supported SEF = Short Edge Feed LEF = Long Edge Feed						
Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	Trays						Comments
							3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MSI Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	PPF tray 5 ^(P) (Normal Config. & With Options / Duplex)		
							Normal	Opt. 1	Opt. 2				
Colotech + (Gold)	160	Heavyweight (HW)	003R97964	A3	Uncoated Cover		Auto	Auto	N	Auto	N	SEF Auto	N
	160	Heavyweight (HW)	003R97965	SRA3	Uncoated Cover		N	N	N	MSI Only	N	N	N
	200	Extra-HW (X-HW)	003R97967	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto
	200	Extra-HW (X-HW)	003R97968	A3	Uncoated Cover		Auto	Auto	N	Auto	N	SEF Auto	N
	200	Extra-HW (X-HW)	003R97969	SRA3	Uncoated Cover		N	N	N	MSI Only	N	N	N
	220	Extra-HW (X-HW)	003R97971	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto
	220	Extra-HW (X-HW)	003R97972	A3	Uncoated Cover		Auto	Auto	N	Auto	N	SEF Auto	N
	220	Extra-HW (X-HW)	003R97973	SRA3	Uncoated Cover		N	N	N	MSI Only	N	N	N
Colour Impressions	80	Plain	003R97661	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto
	80	Plain	003R97662	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N
	90	Plain	003R97663	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto
	90	Plain	003R97664	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N
	90	Plain	003R97665	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N
	100	Plain	003R97666	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto
	100	Plain	003R97667	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N
	100	Plain	003R97668	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N
	120	Heavyweight (HW)	003R97685	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto
	120	Heavyweight (HW)	003R97669	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N
	120	Heavyweight (HW)	003R97670	SRA3	Uncoated Bond		N	N	N	MSI Only	N	N	N
	160	Heavyweight (HW)	003R98007	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto
	160	Heavyweight (HW)	003R98008	A3	Uncoated Cover		Auto	Auto	N	Auto	N	SEF Auto	N

		Plain  Recycled  Heavy  Pre-punched  Transparency  Extra Heavy  Pre-cut Tabs  Label 		ColorQube 9201/9202/9203 Multifunction printer Xerox Recommended European Media List revision 1.3 July, 2009				FEED Auto = Auto Duplex NA = Not Applicable N = Not Supported SEF = Short Edge Feed LEF = Long Edge Feed						
Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	Trays						Comments	
							3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MS1 Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	PPF tray 5 ⁽¹⁾ (Normal Config. & With Options / Duplex)			
							Normal	Opt. 1	Opt. 2					
Exclusive	80	Plain	003R90208	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R90209	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R90600	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Plain	003R90618	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	80	Pre Punched	003R91712	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Pre Punched	003R91845	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Plain	003R94573	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	100	Plain	003R94574	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
Performer	80	Plain	003R90649	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
Premier	80	Plain	003R91720	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Pre-Punched	003R91723	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R91832	A5	Uncoated Bond		Auto	Auto	Auto	Auto	N	N	N	
	90	Pre-Punched	003R91850	A4	Uncoated Bond	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	90	Plain	003R91853	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Plain	003R91854	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	160	Heavyweight (HW)	003R93009	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	200	Heavyweight (HW)	003R93011	A4	Uncoated Cover		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	

		Plain  Recycled  Heavy  Pre-punched  Transparency  Extra Heavy  Pre-cut Tabs  Label 		ColorQube 9201/9202/9203 Multifunction printer Xerox Recommended European Media List Revision 1.3 July, 2009				FEED Auto = Auto Duplex NA = Not Applicable N = Not Supported SEF = Short Edge Feed LEF = Long Edge Feed									
Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	Trays						PPF tray 5 ⁽⁹⁾ (Normal Config. & With Options / Duplex)			Comments	
							3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MSI Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	Normal	Opt. 1	Opt. 2	LEF Auto	SEF Auto		LEF & SEF Auto
	100	Plain	003R93608	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto				
	100	Plain	003R93609	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N				
Xprint	80	Plain	003R95248	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto				
	80	Plain	003R95249	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N				
	90	Plain	003R95254	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto				
	90	Plain	003R95255	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N				
	100	Plain	003R95256	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto				
	100	Plain	003R95257	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N				
	120	Plain	003R95258	A4	Uncoated Bond		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto				
	120	Plain	003R95259	A3	Uncoated Bond		Auto	Auto	N	Auto	N	SEF Auto	N				
Colour Copier/Laser Labels	160	Labels	003R93872	A4	Label	1 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	Best handling limited to MSI (tray 4) and OCT/Top Tray.			
	160	Labels	003R93873	A4	Label	6 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto				
	160	Labels	003R93874	A4	Label	8 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto				
	160	Labels	003R93875	A4	Label	14 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto				
	160	Labels	003R95813	A4	Label	4 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto				
	160	Labels	003R95815	A4	Label	21 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto				
	160	Labels	003R97524	A4	Label	24 UP	N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto				

		Plain  Recycled  Heavy  Pre-punched  Transparency  Extra Heavy  Pre-cut Tabs  Label 		ColorQube 9201/9202/9203 Multifunction printer Xerox Recommended European Media List revision 1.3 July, 2009				FEED Auto = Auto Duplex NA = Not Applicable N = Not Supported SEF = Short Edge Feed LEF = Long Edge Feed						
Paper	Weight(gsm)	Front Panel Selection	Re-Order #	Size	Type	Configuration Details	Trays						Comments	
							3TM Tray 1 (A4 LEF/SEF A3 SEF)	3TM Tray 2 (A4 LEF/SEF A3 SEF)	3TM Tray 3 (LEF Only)	MSI Tray 4 (A4 LEF/SEF A3 SRA3 SEF)	PPF tray 5 ¹⁰ (Normal Config. & With Options / Duplex)			
							Normal	Opt. 1	Opt. 2					
Dividers White 10 Tab Reverse Collated (Non Printing Media for Inserting Between Print Groups)	160		003R91001	A4+	Tab		N	N	N	MSI Only Feed Tabs Trailing	N	N	N	Non-printing media can be fed to separate groups of prints.
	160	Pre-Punched	007R98002	A4+	Tab	4HD	N	N	N	MSI Only Feed Tabs Trailing	N	N	N	
	160		003R90873	A4+	Tab		N	N	N	MSI Only Feed Tabs Trailing	N	N	N	
	160	Pre-Punched	007R98003	A4+	Tab	4HD	N	N	N	MSI Only Feed Tabs Trailing	N	N	N	
Recycled	80	Recycled	003R91165	A4	Recycled		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Recycled	003R91166	A3	Recycled		Auto	Auto	N	Auto	N	SEF Auto	N	
	80	Pre-Punched	003R91857	A4	Recycled	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
Recycled Supreme	80	Recycled	003R94565	A4	Recycled		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Pre-Punched	003R94567	A4	Recycled	4HD	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Recycled	003R94568	A3	Recycled		Auto	Auto	N	Auto	N	SEF Auto	N	
	90	Recycled	003R95156	A4	Recycled		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Recycled	003R95161	A4	Recycled		Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	100	Recycled	003R95162	A3	Recycled		Auto	Auto	N	Auto	N	SEF Auto	N	
Carbonless Straight Collated	80	Plain	003R99105	A4	Carbonless	W/Y	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	Pre-collated Straight. For limited or occasional use. To print on proper side ensure correct loading of print side as indicated by the arrows on the edge of the ream. Best handling limited to MSI and OCT/Top Trays. DO NOT USE WITH PPI (inserter).
	80	Plain	003R99107	A4	Carbonless	W/P	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
	80	Plain	003R99108	A4	Carbonless	W/Y/P	Auto	Auto	Auto	Auto	LEF Auto	LEF Auto	LEF & SEF Auto	
Premium Plain Transparencies for Colour	140	Transparency	003R98205	A4	Transparency		N	N	N	MSI Only	LEF Auto	LEF Auto	LEF & SEF Auto	Run in Transparency Mode. Limit Feed to LEF. Handling limited to MSI and OCT/Top Trays.

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met. The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best-Xerox Supplies.

© 2009 Xerox Corporation. All rights reserved.

Xerox®, the sphere of connectivity design, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.