

Recommended Xerox Media for Phaser 6360N, 6360DN, 6360DT, and 6360DX

For use in Europe
Publish Date: February, 2007

For the most recent version of this quarterly published document, visit www.xdss.com, select "Free Downloads", then "Color".

Important Notes:

All media is listed by product, machine run mode, weight (standard gsm), re-order number, size, and tray runability. The additional information column is for hints and tips on how to run certain media applications.

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing Environment temperature range of 15.5 - 24 degrees C, Relative Humidity range 20-40%.


*Machine reliability specifications may be affected by increased usage of the Transparency, Card Stock, Label, and Special modes. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox service representative can advise you on special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to www.Xerox.com.

For additional recommended Phaser media, look under Supplies on: <http://www.office.xerox.com/> and select your Product Family.

© 2005 Xerox Corporation. All rights reserved.


Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.



Phaser 6360N, 6360DN, 6360DT, and 6360DX Europe

A=Auto Duplex
M=Manual Duplex
S=Simplex Only

Paper	Paper Type	Weight	Re-Order #	Type	Size	Trays					Additional Information
						1/MPT	2	3	4	4	
Xerox Digital Colour Colotech+ (Gold Label)	Plain	90 gsm	3R97988		A4	A	A	A	A	A	Refer to the "Paper Tips" embedded page for additional printer-specific information, e.g., High Capacity tray usage. Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT. Paper Type <i>Heavy Plain</i> should be selected on the user interface for Trays/MPT. Paper Type <i>Heavy Plain</i> should be selected on the user interface for Trays/MPT. Paper Type <i>Thin Card</i> should be selected on the user interface for Trays/MPT. Paper Type <i>Thick Card</i> should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.
	Heavy Plain	100 gsm	3R97993		A4	A	A	A	A	A	
	Heavy Plain	120 gsm	3R97958		A4	A	A	A	A	A	
	Thin Card	160 gsm	3R97963		A4	A	A	A	A	A	
	Thick Card	200 gsm	3R97967		A4	M					
	Thick Card	220 gsm	3R97971		A4	M					
Xerox Colour Impressions	Plain	90 gsm	003R97663		A4	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.
Xerox Business	Plain	80 gsm	003R91820		A4	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.
			003R91823	4HD	A4	A	A	A	A	A	
Xerox Premier	Plain	80 gsm	003R91720		A4	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.
Xerox Performer	Plain	80 gsm	003R90649		A4	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT.
Xerox Recycled	Plain	80 gsm	003R91165		A4	A	A	A	A	A	Paper Type <i>Plain</i> should be selected on the user interface for Trays/MPT. Performance may vary at extremes in humidity.



Phaser 6360N, 6360DN, 6360DT, and 6360DX Europe

A=Auto Duplex
M=Manual Duplex
S=Simplex Only

Paper	Paper Type	Weight	Re-Order #	Type	Size	Trays				
						1/MPT	2	3	4	4
Xerox Digital Colour Colotech+ Gloss	Glossy Coated	140gsm	3R97577		A4	A	A	A	A	A
	Thick Card	210gsm	3R97583		A4	M				
Xerox Trifold Brochures	Thick Card	176 gsm	3R97946		A4	M				
Xerox Premium Business Cards	Thick Card	195gsm	3R97512		A4	M				
Xerox Laser/Ink Jet Labels	Label		003R93872	1 up	A4	S	S	S	S	S
			003R93873	8 up	A4	S	S	S	S	S
			003R93874	10 up	A4	S	S	S	S	S
			003R93875	14 up	A4	S	S	S	S	S
Xerox Phaser™ 25-Series Premium Transparencies	Transparency		003R95316		A4	S	S	S	S	S

Additional Information
Refer to the "Paper Tips" embedded page for additional printer-specific information, e.g., High Capacity tray usage.

Paper Type *Glossy Coated* should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.

Paper Type *Thick Card* should be selected on the user interface. Environmental condition may require that this product be fed one sheet at a time. Gloss variation can occur from machine rolls, especially on high area coverage prints.

Paper Type *Thick Card* should be selected on the user interface for Tray1/MPT.

Paper Type *Labels* should be selected on the user interface for Trays/MPT.

Paper Type *Transparency* should be selected on the user interface for Trays/MPT. It is not recommended to output more than 20 transparencies at a time.

WARRANTY DISCLAIMER

Xerox makes no guarantees or warranties, either express or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products. Customers should inquire directly of their paper distributor or manufacturer for any guarantees they may offer. When purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream, carton to carton, and it is backed by a Xerox 100% guarantee. The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox color equipment, use only the best--Xerox Supplies. To learn more about the benefits of using Xerox Supplies, please contact your Supply Account Manager or call, in the US 1-800-822-2200 and in Canada 800-668-0199 (English) or 1-800-668-0133 (Francais).

© 2005 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.