



Recommended Xerox Media for 7500 (Europe)

Revision 1.2, April 2009

This is 1st Revision:

Important Note:

All media is listed by product, paper type, paper tray settings - image quality, weight (standard gsm), re-order number, size, tray runability, and integrated office finisher runability. The additional information column is for hints and tips on how to run certain media applications.

Machine reliability may be affected by increased usage of Card Stocks and Glossy papers.

Environmental Conditions may require that Gloss papers be fed one sheet at a time through Tray 1. Relative Humidity greater than 40% could cause multifeeds. Output may require removal at 25 sheets in the tray when not using a finisher.

Xerox® and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at www.xerox.com, select "Country", then "Supplies".

© 2009 Xerox Corporation. All rights reserved.

Trays 1,2,3,4 & 5 Paper Types are selected when Paper Tray is closed












Plain / Preprinted / Prepunched / Recycled / Colored (67 - 90 gsm)	Transparency	Label
Thin Card Stock (106 - 169 gsm)	Thin Glossy Paper (106 - 169 gsm)	
Heavy Plain / LetterHead (91 - 105 gsm)	Card Stock (170 - 220 gms)	Glossy Paper (170 - 220 gms)
	Thick Card Stock (221 - 256 gsm)	Thick Glossy Paper (221 - 256 gsm)
	Extra Thick Card Stock (257 -280 gsm)	

Simplex / Duplex Capabilities
 A = Auto Duplex
 S = Simplex Only
 M = Manual Duplex
 n = not supported

Phaser 7500
RML
Europe v 1.2

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					Additional Information
						1	2	3	4	5	
Xerox Business	Plain	80 gsm	3R91820		A4	A	A	A	A	A	
			3R91823 (4-Hole)		A4	A	A	A	A	A	
			3R91821		A3	A	A	A	A	A	
Xerox Premier	Plain	80 gsm	3R91720		A4	A	A	A	A	A	
			3R91721		A3	A	A	A	A	A	
	Plain	90 gsm	3R91854		A4	A	A	A	A	A	
			3R91853		A3	A	A	A	A	A	
Xerox Colotech+ (Gold label)	Plain	90 gsm	3R97988		A4	A	A	A	A	A	
			3R97990		A3	A	A	A	A	A	
			3R97991		SRA3	A	n	A	A	A	
	Heavy Plain	100 gsm	3R97993		A4	A	A	A	A	A	
			3R97955		A3	A	A	A	A	A	
			3R97956		SRA3	A	n	A	A	A	
	Thin Card Stock	120 gsm	3R97958		A4	A	A	A	A	A	
			3R97959		A3	A	A	A	A	A	
			3R97960		SRA3	A	n	A	A	A	
	Thin Card Stock	160 gsm	3R97963		A4	A	A	A	A	A	
			3R97964		A3	A	A	A	A	A	
			3R97965		SRA3	A	n	A	A	A	
	Card Stock	200 gsm	3R97967		A4	A	A	A	A	A	
			3R97968		A3	A	A	A	A	A	
			3R97969		SRA3	A	n	A	A	A	
	Card Stock	220 gsm	3R97971		A4	A	A	A	A	A	
			3R97972		A3	A	A	A	A	A	
			3R97973		SRA3	A	n	A	A	A	
Thick Card Stock	250 gsm	3R97975		A4	M	M	M	M	M		
		3R97976		A3	M	M	M	M	M		
		3R97977		SRA3	M	n	M	M	M		
Extra Thick Card Stock	280 gsm	3R97979		A4	S	n	n	n	n		
		3R97980		A3	S	n	n	n	n		
		3R97981		SRA3	S	n	n	n	n		
For best Print Quality on the Manual Duplex side print only low coverage images. Solid colors may print lighter than desired.											
Environmental conditions (high or low relative humidity) may require that this product be fed one sheet at a time.											

Trays 1,2,3,4 & 5 Paper Types are selected when Paper Tray is closed

Plain / Preprinted / Prepunched / Recycled / Colored (67 - 90 gsm)		Transparency		Label	
Thin Card Stock (106 - 169 gsm)		Thin Glossy Paper (106 - 169 gsm)			
Heavy Plain / LetterHead (91 - 105 gsm)		Card Stock (170 - 220 gms)		Glossy Paper (170 - 220 gms)	
		Thick Card Stock (221 - 256 gsm)		Thick Glossy Paper (221 - 256 gsm)	
		Extra Thick Card Stock (257 -280 gsm)			

Simplex / Duplex Capabilities
 A = Auto Duplex
 S = Simplex Only
 M = Manual Duplex
 n = not supported

Phaser 7500
RML
Europe v 1.2

Media	Paper Type Setting	Weight	Re-Order #	Type	Size	Trays					Additional Information
						1	2	3	4	5	
Xerox Colotech+ Gloss Coated	Thin Glossy Paper	120 gsm	3R97574	Gloss Text	A4	A	A	A	A	A	If jams occur when feeding from Trays 2 - 5, switch to Tray 1 for improved performance. Environmental conditions (high or low relative humidity) may require that this product be fed one sheet at a time and prohibit reliable duplex printing.
			3R97575		A3	A	A	A	A	A	
			3R97576		SRA3	A	n	A	A	A	
	Thin Glossy Paper	140 gsm	3R97577	Gloss Text	A4	A	A	A	A	A	
			3R97578		A3	A	A	A	A	A	
			3R97579		SRA3	A	n	A	A	A	
	Glossy Paper	170 gsm	3R97580	Gloss Cover	A4	A	A	A	A	A	
			3R97581		A3	A	A	A	A	A	
			3R97582		SRA3	A	n	A	A	A	
	Glossy Paper	210 gsm	3R97583	Gloss Cover	A4	A	A	A	A	A	
			3R97584		A3	A	A	A	A	A	
			3R97585		SRA3	A	n	A	A	A	
	Thick Glossy Paper	250 gsm	3R97586	Gloss Cover	A4	S	S	S	S	S	
			3R97587		A3	S	S	S	S	S	
			3R97588		SRA3	S	n	S	S	S	
Xerox Colour Laser Labels	Label		3R93872	1 up	A4	S	n	n	n	n	
			3R95813	4 up	A4	S	n	n	n	n	
			3R93874	8 up	A4	S	n	n	n	n	
			3R93875	14 up	A4	S	n	n	n	n	
			3R95815	21 up	A4	S	n	n	n	n	
			3R97524	24 up	A4	S	n	n	n	n	
Xerox Plain Transparency for Colour	Transparency		3R98205	Standard Transp.	A4	S	S	n	n	n	It is not recommended to output more than 20 transparencies at a time.