

**XEROX.**

Technology | Document Management | Consulting Services

## Recommended Xerox Media for Xerox DocuColor 2045\_5252\_2060 (EUROPE)

**Revision:4.0 August 2007**

Last revision Feb 2007

This supersedes any previous Recommended Media for Xerox DocuColor 2045\_5252\_2060 list.

Any additions or part number changes since the last publication are indicated in Blue print.

**Important Note:**

Media recommendations made in this publication are based on qualification tests conducted using standard test images with moderate to heavy image area coverage.

Test machines are maintained within specifications defined by user documentation.

\* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5. Relative Humidity range 20-50%.

Reliability is based on your operating environment and application mix.

Machine reliability specifications may be affected by high usage of heavy weight and specialty stocks.

In addition, variances in machine reliability may occur due to extended use of some media types.

© 2005 Xerox Corporation. All rights reserved.

Xerox®, the stylized X®, and all Xerox product names and product numbers mentioned in this publication are trademarks of Xerox Corporation.

Other company trademarks are also acknowledged.

**Warranty disclaimer:**

Xerox makes no guarantees or warranties, either expressed or implied, concerning the performance, use or replacement of non-Xerox branded media or throughput products.

Customers should inquire directly of their paper distributor or manufacturer for any guidance when purchasing a particular media product for the first time, customers are advised to purchase small quantities to insure that their expectations are met.

The quality of Xerox supplies is consistent from ream to ream and is backed by a 100% guarantee.

The quality of non-Xerox branded paper may vary from ream to ream or carton to carton, so for optimum performance on Xerox Colour equipment, use only the best - Xerox supplies.

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor.

**EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060**

	Decurler Setting paper type	Standard Cut Sizes				Grammage Weight (g/m2) Weight of the paper in grams per square meter	DocuColor 2000 Series Trays/ Weight Selection and Best Practices for Operation												High Capacity Stacker Compatible?
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		
Weight Range Specification						64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221-280 gsm			
						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex		
<b>Business Papers (Bond, xerographic, and laser grades)</b>																			
Xerox Digital Colour Impressions 80 gsm	A	3R97661	3R97662			80	OK All Trays	OK All Trays										Yes	
					3R97991	90	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
Xerox Digital Colour Colotech + Gold 90 gsm	A	3R97988				90	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
					3R95838	90	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
Xerox Digital Colour Colotech + 90 gsm	A		3R94642			90	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
					3R94643	90	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
		3R94641				90	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
Xerox Digital Colour Impressions 90 gsm	A		3R97664			90	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
		3R97663				90	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
Xerox Digital Colour Colotech + Gold 100 gsm	A		3R97955			100	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
		3R97993				100	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
					3R95839	100	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
Xerox Digital Colour Colotech + 100 gsm	A		3R94647			100	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
		3R94646			3R94648	100	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
Xerox Digital Colour Colotech Natural White 100 gsm	A		3R97103			100	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
		3R97102			3R97275	100	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
Xerox Digital Colour Colotech Pastel Yellow 100 gsm	A	3R95195				100	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
Xerox Digital Colour Impressions 100 gsm	A		3R97667			100	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
		3R97666				100	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
Xerox Digital Colour Colotech+ Gold 120 gsm	B		3R94652			120	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
		3R94651			3R94653	120	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
Xerox Digital Colour Colotech+ 120 gsm	B		3R97959			120	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
		3R97958			3R97960	120	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
Xerox Digital Colour Impressions 120 gsm	A	3R98685				120	OK All Trays	OK All Trays	Tray 3 & 4	Tray 3 & 4								Yes	
			3R97669			120	OK All Trays	OK All Trays	OK All Trays	OK All Trays								Yes	
<b>Uncoated Heavy Stocks</b>																			
Xerox Digital Colour Impressions 160 gsm	A		3R98008			160								Tray 3 & 4	Tray 3 & 4			Yes	
					3R98686	160								OK All Trays	OK All Trays			Yes	
		3R98007				160								OK All Trays	OK All Trays			Yes	
Xerox Digital Colour Colotech + Gold 160 gsm	A		3R97964			160								Tray 3 & 4	Tray 3 & 4			Yes	
		3R97963			3R97965	160								OK All Trays	OK All Trays			Yes	
Xerox Digital Colour Colotech Natural White 160 gsm	A		3R95957			160								Tray 3 & 4	Tray 3 & 4			Yes	
		3R95956				160								OK All Trays	OK All Trays			Yes	
Xerox Digital Colour Colotech + Gold 200 gsm	A		3R94662			200								Tray 3 & 4	Tray 3 & 4			Yes	
		3R94661				200								OK All Trays	OK All Trays			Yes	
Xerox Digital Colour Colotech + 200 gsm	A		3R94662			200								Tray 3 & 4	Tray 3 & 4			Yes	
		3R94661			3R95842	200								OK All Trays	OK All Trays			Yes	
Xerox Digital Colour Colotech Natural White 200 gsm	A		3R97969			200								Tray 3 & 4	Tray 3 & 4			Yes	
		3R97967			3R97968	200								OK All Trays	OK All Trays			Yes	
Xerox Digital Colour Colotech + Gold 220 gsm	A		3R97972			220								Tray 3 & 4	Tray 3 & 4			Yes	
		3R97971			3R97973	220								OK All Trays	OK All Trays			Yes	
Xerox Digital Colour Colotech + 220 gsm	A		3R94669			220								Tray 3 & 4	Tray 3 & 4			Yes	
		3R94668			3R94670	220								OK All Trays	OK All Trays			Yes	

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at [www.xerox.com](http://www.xerox.com), select "Country", then "Supplies".

**EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060**

		Standard Cut Sizes				Grammage Weight (g/m2) <small>Weight of the paper in grams per square meter</small>	DocuColor 2000 Series Trays/ Weight Selection and Best Practices for Operation												High Capacity Stacker Compatible?	
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		Tray 1+2, Tray 3 Tray 4	Tray 1+2, Tray 3 Tray 4	Tray 1+2, Tray 3 Tray 4	Tray 1+2, Tray 3 Tray 4	Tray 1+2, Tray 3 Tray 4	Tray 1+2, Tray 3 Tray 4	Tray 1+2, Tray 3 Tray 4	Tray 1+2, Tray 3 Tray 4	Tray 1+2, Tray 3 Tray 4					
		Weight Range Specification ----->					64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221-280 gsm			
						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex			
Xerox Digital Colour Colotech + Gold 250 gsm	A		3R97976		3R97977	250												Tray 3 Manual Duplex	Yes	
			3R97975			250												Tray 3 Manual Duplex	Yes	
					3R95844	250												Tray 3 Manual Duplex	Yes	
Xerox Digital Colour Colotech + 250 gsm	A		3R94672			250												Tray 3 Manual Duplex	Yes	
				3R94673		250												Tray 3 Manual Duplex	Yes	
			3R94671			250												Tray 3 Manual Duplex	Yes	
Xerox Digital Colour Impressions 250 gsm	A				3R97672	250												Tray 3 Manual Duplex	Yes	
				3R97671		250												Tray 4 Manual Duplex	Yes	
					3R96687	250												Tray 3 Manual Duplex	Yes	
Xerox Digital Colour Colotech + Gold 280 gsm	A				3R97981	280												Tray 3 Manual Duplex	Yes	
			3R97980			280												Tray 3 Manual Duplex	Yes	
			3R97979			280												Tray 3 Manual Duplex	Yes	
Xerox Digital Colour Colotech + 280 gsm	A				3R97099	280												Tray 3 Manual Duplex	Yes	
			3R97098			280												Tray 3 Manual Duplex	Yes	
			3R97097			280												Tray 3 Manual Duplex	Yes	
<b>Coated Text or Book Stocks C2S</b>		Decurler Setting paper type																		
Xerox Digital Colour Colotech + Silk Coated 120 gsm	A				3R97594	120													Tray 3 & 4 Tray 3 Only	Yes
			3R97593			120													Tray 3 Only	Yes
			3R97592		3R97576	120													Tray 3 Only	Yes
Xerox Digital Colour Colotech + Gloss Coated 120 gsm	A		3R97575			120													Tray 3 & 4 Tray 3 Only	Yes
			3R97574			120													Tray 3 Only	Yes
					3R97597	140													Tray 3 & 4 Tray 3 Only	Yes
Xerox Digital Colour Colotech + Silk Coated 140 gsm	A		3R97596			140													Tray 3 & 4 Tray 3 Only	Yes
			3R97595			140													Tray 3 Only	Yes
					3R97579	140													Tray 3 & 4 Tray 3 Only	Yes
Xerox Digital Colour Colotech + Gloss Coated 140 gsm	A		3R97578			140													Tray 3 & 4 Tray 3 Only	Yes
			3R97577			140													Tray 3 Only	Yes
		<b>Coated Heavy Stocks C2S</b>		Decurler Setting paper type																
Xerox Digital Colour Colotech + Silk Coated 170 gsm	A				3R97600	170													Tray 3 & 4 Tray 3 Only	Yes
			3R97599			170													Tray 3 Only	Yes
			3R97598		3R97582	170													Tray 3 & 4 Tray 3 Only	Yes
Xerox Digital Colour Colotech + Gloss Coated 170 gsm	A		3R97581			170													Tray 3 & 4 Tray 3 Only	Yes
			3R97580			170													Tray 3 Only	Yes
					3R97603	210													Tray 3 & 4 Tray 3 Only	Yes
Xerox Digital Colour Colotech + Silk Coated 210 gsm	A		3R97602			210													Tray 3 & 4 Tray 3 Only	Yes
			3R97601			210													Tray 3 Only	Yes
					3R97585	210													Tray 3 & 4 Tray 3 Only	Yes
Xerox Digital Colour Colotech + Gloss Coated 210 gsm	A		3R97584			210													Tray 3 & 4 Tray 3 Only	Yes
			3R97583			210													Tray 3 Only	Yes
					3R97606	250													Tray 3 Only Manual Duplex	Yes
Xerox Digital Colour Colotech + Silk Coated 250 gsm	A		3R97605			250													Tray 3 Only Manual Duplex	Yes
			3R97604			250													Tray 3 Only Manual Duplex	Yes
					3R97588	250													Tray 3 Only Manual Duplex	Yes
Xerox Digital Colour Colotech + Gloss Coated 250 gsm	A		3R97587			250													Tray 3 Only Manual Duplex	Yes
			3R97586			250													Tray 3 Only Manual Duplex	Yes
					3R97609	280													Tray 3 Only Manual Duplex	Yes
Xerox Digital Colour Colotech + Silk Coated 280 gsm	A		3R97608			280													Tray 3 Only Manual Duplex	Yes
			3R97607			280													Tray 3 Only Manual Duplex	Yes
					3R97591	280													Tray 3 Only Manual Duplex	Yes
Xerox Digital Colour Colotech + Gloss Coated 280 gsm	A		3R97590			280													Tray 3 Only Manual Duplex	Yes
			3R97589			280													Tray 3 Only Manual Duplex	Yes



For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at [www.xerox.com](http://www.xerox.com), select "Country", then "Supplies".

**EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045\_5252\_2060**

	Decurler Setting paper type	Standard Cut Sizes				Grammage Weight (g/m <sup>2</sup> ) Weight of the paper in grams per square meter	DocuColor 2000 Series Trays/ Weight Selection and Best Practices for Operation												High Capacity Stacker Compatible?										
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4												
		Weight Range Specification						64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221-280 gsm											
						Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex												
<b>Super Gloss Coated Heavy Stocks C1S</b>																													
		Select 106-135 gsm mode in Tray 3. Load with coated side up.																											
Xerox Digital Colour Colotech + SuperGloss 135 Image quality will not be as good on second side	A	3R97679				135															Tray 3 Only	Tray 3 Only			Yes				
		Select 151-220 gsm mode in Tray 3. Load with coated side up.																											
Xerox Digital Colour Colotech + SuperGloss 160 Image quality will not be as good on second side	A	3R97680	3R97681			160																			Tray 3 Only	Tray 3 Only	Yes		
Xerox Digital Colour Colotech + SuperGloss 210 Image quality will not be as good on second side		3R97682	3R97683			210																				Tray 3 Only	Tray 3 Only	Yes	
Xerox Digital Colour Colotech + SuperGloss 250 Image quality will not be as good on second side	A		3R97687			250																				Tray 3 Only	Manual Duplex	Yes	
		3R97686				250																				Tray 3 Only	Manual Duplex	Yes	
<b>Specialties</b>						Various																							
Xerox Digital Colour Colotech Super 210 A4 Prescored White	A	3R97685	Second side image quality will not be as good as side one			210																				Tray 3 Only	Tray 3 Only	Yes	
Xerox DocuCard 500 sheet box	A	3R97571	Maximum of 50 sheet stacks			160																				Tray 3 Only	Tray 3 Only		
Xerox DocuGloss Card 500 sheet box	A	3R97246	Maximum of 50 sheet stacks			216																				Tray 3 Only	Tray 3 Only		
Xerox ValuPeelCard Coated 500 sheet box	A	3R97678	Maximum of 50 sheet stacks			216																				Tray 3 Only	Tray 3 Only		
Xerox ValuPeelCard Uncoated 500 sheet box	A	3R97953	Maximum of 50 sheet stacks			216																				Tray 3 Only	Tray 3 Only		
Xerox ValuPerfCard Coated 500 sheet box	A	3R97952	Maximum of 50 sheet stacks			216																				Tray 3 Only	Tray 3 Only		
Xerox ValuPerfCard Uncoated 500 sheet box	A	3R97677	Maximum of 50 sheet stacks			216																				Tray 3 Only	Tray 3 Only		
Xerox Premium Never Tear 95 microns	Default	3R97690	Select Uncoated 151-220 gsm mode in Tray 3. Each batch run should not be more than 500 simplex. Must run 50 sheets paper between batches. Static may cause issues in stacking																										
		3R98056	95 microns																							Tray 3 Only	Manual Duplex		
Xerox Premium Never Tear 120 microns	Default	3R98058	120 microns																							Tray 3 Only	Manual Duplex		
Xerox DuraPaper X250	A		Select Uncoated 151-220 gsm mode in Tray 3. Load image side up			250 microns																				Tray 3 Only	Tray 3 Only	Yes	
Xerox DocuPac Glossy White Presentation folder	A	3R97251	Select Coated 151-220 gsm mode in Tray 3- load glossy side up, score line trailing			210																				Tray 3 Only	Tray 3 Only		
Xerox DocuPac Matt Presentation folder	A	3R97353	Image quality not as good as Colotech +			180																				Tray 3 Only	Tray 3 Only		
Xerox Colotech Supergloss Document Folder	A		Select coated 221-280 gsm mode in Tray 3 for glossy side uncoated 221-280 gsm for matt side			250																					Tray 3 Only	Manual Duplex	
		3R97634																											
Xerox Laser Business Cards 10-UP	A	3R97512	Select uncoated 151-220 gsm mode in Tray 3- image side up.			195																							
Xerox Laser Window GraphiX Clear (window decal)	A	3R97494	Select coated 151-220 gsm mode in Tray 3- image side up.			125 micron																				Tray 3 Only			
Xerox Laser Window GraphiX Opaque White (window decal)	A	3R97511	Select coated 151-220 gsm mode in Tray 3- image side up.			125 micron																				Tray 3 Only			
		3R97539																											
Xerox Transfer Paper	A	3R97949	Select coated 151-220 gsm mode - image side up. Each batch run should not exceed 500 sheets. 100 sheets Colotech Paper should be run between batches. No more than 500 sheets per day																										
		3R97951																								Tray 3 Only			
<b>Tab Stock</b>																													
		Select Uncoated 151-220 gsm mode in Tray 3. Load SEF																											
Xerox Digital Colour Colotech Tabs white 100x5 reverse	B	3R97231				200																				Tray 3 Only	Tray 3 Only		
Xerox Digital Colour Colotech Tabs white 50x10 reverse	B	3R97232				200																				Tray 3 Only	Tray 3 Only		
Xerox Mylar Tabs White 100 X 5 reverse	B	3R97229				200																				Tray 3 Only	Tray 3 Only		
Xerox Mylar Tabs White 50 X 10 reverse	B	3R97230				200																				Tray 3 Only	Tray 3 Only		

For the latest line of Xerox supplies contact your local Xerox representative or a recommended distributor. For the most recent version of this list visit our website at [www.xerox.com](http://www.xerox.com), select "Country", then "Supplies".

### EUROPEAN RECOMMENDED MATERIALS LIST- DOCUCOLOR 2045 5252 2060

	Decurler Setting paper type	Standard Cut Sizes				Grammage	DocuColor 2000 Series Trays/ Weight Selection and Best Practices for Operation												High Capacity Stacker Compatible?
		A4 210x297 mm	A3 297x420 mm	A3+ 305x457 mm	SRA3 320x450 mm	Weight of the paper in grams per square meter	Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4		Tray 1+2, Tray 3 Tray 4				
Weight Range Specification							64-80 gsm		81-105 gsm		106-135 gsm		136-150 gsm		151-220 gsm		221-280 gsm		
							Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	Simplex	Duplex	
<b>Transparencies</b>	Decurler Setting paper type	Select Uncoated 221-280 gsm mode in Tray 3. Load transparency up																	
Xerox Paper backed transparency Type SFI (250 SHEET BOX)	Default	3R98199				100 micron												Tray 3 Only	Top Tray Only
Xerox Paper backed transparency SRA3	Default				3R98201	100 micron												Tray 3 Only	Top Tray Only
<b>Label Stock</b>	Decurler Setting paper type					Label Stock (Approximately)													
Xerox Colour Laser Printer Labels	C	3R93872				190												Tray 3 Only	Top Tray Only
1 PER A4		3R93873				190												Tray 3 Only	Top Tray Only
6 PER A4		3R93874				190												Tray 3 Only	Top Tray Only
8 PER A4		3R93875				190												Tray 3 Only	Top Tray Only
14 PER A4		3R93875				190												Tray 3 Only	Top Tray Only
24 PER A4		3R97524				190												Tray 3 Only	Top Tray Only
Xerox laser Colour Gloss Coated Labels	C	3R97288				190												Tray 3 Only	Top Tray Only
1 PER A4	C	3R97287				190												Tray 3 Only	Top Tray Only
2 to view CD labels	C&A	3R97515				190 & 120												Tray 3 Only	Top Tray Only
Xerox CD label & CD insert Combi Box		3R97344				250				Tray 3 insert Only	Tray 3 insert Only							Tray 3 Only	Top Tray Only
Xerox Durapaper Label (polyolefin face material) 1 PER A4	C	Select Uncoated 221-280 gsm mode in Tray 3. Load image side up																	
Xerox Glossy White Self Adhesive Label A4	Default	3R97245				190												Tray 3 Only	Top Tray Only
Xerox Glossy White Self Adhesive Label SRA3	Default				3R97348	190												Tray 3 Only	Top Tray Only
Xerox Crystal Clear Adhesive Label A4	Default	3R97244				190												Tray 3 Only	Top Tray Only
Xerox Crystal Clear Adhesive Label SRA3	Default				3R97347	190												Tray 3 Only	Top Tray Only
<b>Carbonless Paper</b>	Decurler Setting paper type	NOT Common Software V 6.27 (DC2045, DC6060) and V 7.1.2 (DC5252) must be installed, and fan disabled, prior to use*																	
Xerox Premium Digital Carbonless Paper						approximately													
CB Singles White	A	3R99069				82				Tray 3 Only								Yes	
CB Singles White (PLE)		3R99088				82				Tray 3 Only								Yes	
CB Singles White (PSE)		3R99089				82				Tray 3 Only								Yes	
CB Singles Yellow		3R99080				82				Tray 3 Only								Yes	
CB Singles Pink		3R99083				82				Tray 3 Only								Yes	
CB Singles Blue		3R99082				82				Tray 3 Only								Yes	
CB Singles Green		3R99081				82				Tray 3 Only								Yes	
CFB Singles White		3R99070				86				Tray 3 Only								Yes	
CFB Singles Yellow		3R99071				86				Tray 3 Only								Yes	
CFB Singles Yellow (PLE)		3R99091				86				Tray 3 Only								Yes	
CFB Singles Yellow (PSE)		3R99092				86				Tray 3 Only								Yes	
CFB Singles Pink		3R99074				86				Tray 3 Only								Yes	
CFB Singles Pink (PLE)		3R99093				86				Tray 3 Only								Yes	
CFB Singles Blue		3R99072				86				Tray 3 Only								Yes	
CFB Singles Green		3R99073				86				Tray 3 Only								Yes	
CF Singles White		3R99075				82				Tray 3 Only								Yes	
CF Singles White (PLE)		3R99090				82				Tray 3 Only								Yes	
CF Singles Yellow		3R99076				82				Tray 3 Only								Yes	
CF Singles Pink		3R99077				82				Tray 3 Only								Yes	
CF Singles Pink (PLE)		3R99094				82				Tray 3 Only								Yes	
CF Singles Blue		3R99078				82				Tray 3 Only								Yes	
CF Singles Green		3R99079				82				Tray 3 Only								Yes	
A4+ CF Singles Yellow		3R99639				82				Tray 3 Only								Yes	
A4+ CF Singles Pink		3R99638				82				Tray 3 Only								Yes	
A4+ CF Singles Blue		3R99644				82				Tray 3 Only								Yes	
CF Singles Tag Cream		3R99146				170												Tray 3 Only	Yes
CF Singles Tag White		3R99147				170												Tray 3 Only	Yes
A4+ CF Singles Tag Cream		3R99640				170												Tray 3 Only	Yes
A4+ CF Singles Tag Pink		3R99641				170												Tray 3 Only	Yes
2-Part White / Yellow	A	3R99105				82/82				Tray 3 Only								Yes	
2-Part White (PLE) / Yellow		3R99133				82/82				Tray 3 Only								Yes	
2-Part White (PSE) / Yellow		3R99084				82/82				Tray 3 Only								Yes	
2-Part White (PSE) / Yellow		3R99085				82/82				Tray 3 Only								Yes	
2-Part White / Pink		3R99107				82/82				Tray 3 Only								Yes	
			3R99134			82/82				Tray 3 Only								Yes	
3-Part Straight White / Yellow / Pink	A	3R99108				82/86/82				Tray 3 Only								Yes	
			3R99135			82/86/82				Tray 3 Only								Yes	
3-Part Straight White (PLE) / Yellow (PLE) / Pink		3R99086				82/86/82				Tray 3 Only								Yes	
3-Part Straight White (PSE) / Yellow (PSE) / Pink		3R99087				82/86/82				Tray 3 Only								Yes	
3-Part Reverse Pink / Yellow / White		3R99109				82/86/82				Tray 3 Only								Yes	
4-Part Straight White / Yellow / Pink / Blue	A	3R99111				82/86/86/82				Tray 3 Only								Yes	
4-Part Reverse Blue / Pink / Yellow / White		3R99112				82/86/86/82				Tray 3 Only								Yes	

\* Contact your local Service Representative and refer to System Administration Guide for details