

XEROX®

Technology | Document Management | Consulting Services

Recommended Xerox Media for Xerox DocuColor 4 LP/CP (EUROPE)

Revision 5.0 August 2007

last revision Feb 2007

This supersedes any previous Recommended Media for Xerox DocuColor 4 LP/CP list.

Any additions or part number changes since the last publication are indicated in Blue print.

Important Note:

Media recommendations made in this publication are based on qualification tests* conducted using standard test images with moderate to heavy image area coverage. Test duration for each product/media type is based on the suggested machine monthly copy/print volume. Test machines are maintained within specifications defined by user documentation.

* Testing environment Temperature 23 degreesC±2, Relative Humidity 50% ±5.

In the enclosed Recommended Materials List, green shaded areas marked with an "x" indicate approved product/media type configurations. Although these configurations are recommended, reliability will be based upon your operating environment and application mix.

Machine reliability specifications may be affected by increased usage of Cover mode and Transparency mode. In addition, variances in machine reliability may occur due to extended use of some media types. Your Xerox Sales or Service representative can advise you on using Cover mode, Transparency mode or special application media types for long duration copy/print runs.

For specifications and a description of the various media types discussed in this publication, please refer to the Color Material Usage Guide that comes with your equipment.

© 2001 Xerox Corporation. All rights reserved.

Xerox®, The Document Company®, the stylized X®, and all Xerox product names and product names and product numbers mentioned in this publication are trademarks of Xerox Corporation. Other company trademarks are also acknowledged.

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Trans- parency mode	Label mode	Limited manual duplex from MSI**
Xerographic/Laser	for media marked # - colour print quality will not be as good as Colotech+ papers.												
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Xerox Premier	3R91713				60	X	#	X	X				X
Xerox Premier	3R91720				80	X	#	X	X				X
		3R91721			80	X	#	X	X				X
Xerox Business	3R91820				80	X	#	X	X				X
		3R91821			80	X	#	X	X				X
Xerox Digital Colour Impressions	3R97661				80	X	X	X	X				X
		3R97662			80	X	X	X	X				X
Xerox Digital Colour Impressions	3R97663				90	X	X	X	X				X
		3R97664			90								
				3R97665	90	X	X	X	X				X
Xerox Digital Colour Colotech + Gold	3R97988				90	X	X	X	X				X
		3R97990			90	X	X	X	X				X
				3R97991	90	X	X	oversize tray	X				X
Xerox Digital Colour Colotech +	3R94641				90	X	X	X	X				X
		3R94642			90	X	X	X	X				X
			3R94643		90	X	X	X	X				
				3R95838	90	X	X	oversize tray	X				X
Xerox Digital Colour Colotech + Gold	3R97993				100	X	X	X	X				X
		3R97955			100	X	X	X	X				X
				3R97956	100	X	X	oversize tray	X				X
Xerox Digital Colour Colotech +	3R94646				100	X	X	X	X				X
		3R94647			100	X	X	X	X				X
			3R94648		100	X	X	X	X				X
				3R93839	100	X	X	oversize tray	X				X

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Transparency mode	Label mode	Limited manual duplex from MSI**
Xerox Digital Colour Colotech+ Natural White	3R97102				100	X	X	X	X				X
		3R97103			100	X	X	X	X				X
				3R97275	100	X	X	oversize tray	X				X
Xerox Digital Colour Impressions	3R97666				100	X	X	X	X				X
		3R97667			100								
				3R97668	100	X	X	X	X				X
Xerox Digital Colour Impressions	3R98685				120								
		3R97669			120	X	X	X		X			X
				3R97670	120	X	X	X		X			X
Xerox Digital Colour Colotech + Gold	3R97958				120	X	X			X			X
		3R97959			120	X	X			X			X
				3R97960	120	X	X			X			X
Xerox Digital Colour Colotech +	3R94651				120	X	X			X			X
		3R94652			120	X	X			X			X
			3R94653		120	X	X			X			X
				3R95840	120	X	X			X			X
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Index/Cover - Uncoated													
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Xerox Digital Colour Colotech + Gold	3R97963				160	X	X			X			X
		3R97964			160	X	X			X			X
				3R97965	160	X	X			X			X
Xerox Digital Colour Colotech +	3R94656				160	X	X			X			X
		3R94657			160	X	X			X			X
			3R94658		160	X	X			X			X
				3R95841	160	X	X			X			X

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Transparency mode	Label mode	Limited manual duplex from MSI**
Xerox Digital Colour Colotech+ Natural White	3R95956				160	X	X			X			X
		3R95957			160	X	X			X			X
				3R97276	160	X	X			X			
Xerox Digital Colour Colotech + Gold	3R97967				200	X	X			X			X
		3R97968			200	X	X			X			X
				3R97969	200	X	X			X			X
Xerox Digital Colour Colotech +	3R94661				200	X	X			X			X
		3R94662			200	X	X			X			X
			3R94663		200	X	X			X			X
				3R95842	200	X	X			X			X
Xerox Digital Colour Colotech+ Natural White	3R95958				200	X	X			X			X
		3R95959			200	X	X			X			X
				3R97277	200	X	X			X			X
Index/Cover													
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Xerox Digital Colour Colotech + Gold	3R97971				220	X	X			X			X
		3R97972			220	X	X			X			X
					220	X	X			X			X
				3R97973	220	X	X			X			X
Xerox Digital Colour Colotech +	3R94668				220	X	X			X			X
		3R94669			220	X	X			X			X
			3R94670		220	X	X			X			X
				3R95843	220	X	X			X			X

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification								64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection								Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Transparency mode	Label mode	Limited manual duplex from MSI**
Coated Papers													
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Xerox Digital Colour Colotech + Gloss Coated	3R97574				120	X	X			X			X
		3R97575			120	X	X			X			X
				3R97576	120	X	X			X			X
Xerox Digital Colour Colotech + Silk Coated	3R97592				120	X	X			X			X
		3R97593			120	X	X			X			X
				3R97594	120	X	X			X			X
Xerox Digital Colour Impressions Gloss Coated		3R97593			120	X	X			X			X
				3R97887	120	X	X			X			X
Xerox Digital Colour Colotech + Gloss Coated	3R97577				140	X	X			X			X
		3R97578			140	X	X			X			X
				3R97579	140	X	X			X			X
Xerox Digital Colour Colotech + Silk Coated	3R97595				140	X	X			X			X
		3R97596			140	X	X			X			X
				3R97597	140	X	X			X			X
Index/Cover - Coated													
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Xerox Digital Colour Colotech + Gloss Coated	3R97580				170	X	X			X			X
		3R97581			170	X	X			X			X
				3R97582	170	X	X			X			X
Xerox Digital Colour Colotech + Silk Coated	3R97598				170	X	X			X			X
		3R97599			170	X	X			X			X
				3R97600	170	X	X			X			X
Xerox Digital Colour Colotech + Gloss Coated	3R97583				210	X	X			X			X
		3R97584			210	X	X			X			X
				3R97585	210	X	X			X			X
Xerox Digital Colour Colotech + Silk Coated	3R97601				210	X	X			X			X
		3R97602			210	X	X			X			X
				3R97603	210	X	X			X			X



	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				90-220 g/m ² Limited manual duplex from MSI**
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Trans- parency mode	Label mode	
Transparency													
Xerox Universal Transparency with 14mm removable stripe	3R98198					X	X				X		
Xerox Universal Transparency with printed stripe	3R98204					X	X				X		
Xerox Universal Transparency with 14mm removable stripe	3R98198					X					X		
Xerox Universal Transparency with paper backing SRA3				3R98201		X	X			X			
Paper Label	for media marked # - colour print quality will not be as good as Colotech+ papers.												
Xerox Colotech Supergloss label	3R97288				1-UP	X	X					X	
Xerox Labels	3R93872				1-UP	X	X					X	
	3R95813				4-UP	X	X					X	
	3R93874				8-UP	X	X					X	
	3R93875				14-UP	X	X					X	
	3R95815				21-UP	X	X					X	
	3R97524				24-UP	X	X					X	
Xerox Removeable label	3R96177				16-UP	X	#					X	
	3R96178				24-UP	X	#					X	
Xerox Permanent label	3R96169				1-UP	X	#					X	
	3R96283				8-UP	X	#					X	
	3R96284				10-UP	X	#					X	
	3R96281				16-UP	X	#					X	
	3R96282				24-UP	X	#					X	
Xerox Colotech Supergloss CD label	3R97287				2-UP	X	X					X	
Xerox CD label & CD insert Combi Box	3R97515				2-UP	X	X					X	

	International Cut Sheet Size				Weight (g/m ²)	Output Selection		DocuColor 4 LP/CP					
	A4 (210x297mm)	A3 (297x420mm)	A3+ (457 x305mm)	SRA3 (450x320mm)		Black only	Full Colour	Internal trays	MSI (bypass) tray 64 - 220 g/m ²				
Weight range specification	→							64-105 g/m ²	64-105 g/m ²	106-220 g/m ²			90-220 g/m ²
Media selection	→							Plain paper mode	Plain paper mode	Cover mode (heavy weight)	Transparency mode	Label mode	Limited manual duplex from MSI**
Synthetic Label													
Xerox Durapaper Label waterproof, oil, chemical resistant	3R97344				1-UP	X	X			X			X
Xerox Glossy white self adhesive label	3R97245				1-UP	X	X			X			X
Xerox Crystal Clear self adhesive label	3R97244				1-UP	X	X			X			X
Synthetic media													
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Xerox Premium Never Tear 95 microns	3R98056				95micron	X	X			X			X
Special Application Media	for media marked # - colour print quality will not be as good as Colotech+ papers.												
** No more than 100 duplex prints per day. See the Manual Duplex Recommended Guideline in Expectation Setting Document for DocuColor 4.													
Xerox DocuPac Matt Presentation folder	3R97353				180	X	#			X			
Xerox Laser Business cards 10-up	3R97512				195	X	#			X			X
Xerox Drafting Film	3R98190				75micron	X	#			X			